

Certificate of Analysis

Produced: Jun 11, 2025

Sample: OCS16903 (Concentrate) • Client: Truly Extracts • Batch: Pass



Matrix: Concentrate
Sample ID: ICC-250605-14-003
Collected on: Jun 05, 2025
Received on: Jun 05, 2025
Batch Size: 4 g
Sample Size:
Received By: Stephanie Paule

Batch Result: Pass

Alkaloids	Tested
Solvents	Pass

Cannabinoid Overview

Kratom Potency: 81.2 %

KRAT-PREP-001: KRAT-PREP-001: Kratom Potency • Jun 11, 2025

Analyte	Amt (%)	LOD/LOQ (mg/g)	Pass/Fail	Analyte	Amt (%)	LOD/LOQ (mg/g)	Pass/Fail
Mitragynine	< LOQ	0.679/8.27	N/A	Speciociliatine	ND	0.844/8.27	N/A
Paynantheine	ND	0.485/8.27	N/A	7-OH-Mitragynine	81.2	0.621/8.27	N/A
Speciogynine	ND	0.751/8.27	N/A	Mitragynine pseudoindoxyl	ND	1.01/3.04	N/A
Corynantheidine	ND	1.05/8.34	N/A				

Compliance requirements for this test are taken from No Compliance regulations.



RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Kratom Residual Solvents • Jun 09, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.0781/0.234	Pass	Hexane	290	ND	3.92/11.7	Pass
Acetone	5000	113	28.8/86.4	Pass	Isopropyl alcohol	5000	ND	33.2/99.7	Pass
Acetonitrile	410	ND	4.84/14.5	Pass	Methanol	3000	< LOQ	27.1/81.4	Pass
Benzene	1	ND	0.0230/0.0691	Pass	Methylene chloride	1	ND	6.11/18.3	Pass
Butane	5000	ND	29.9/89.6	Pass	Pentane	5000	ND	27.9/83.8	Pass
Chloroform	1	ND	0.794/2.38	Pass	Propane	5000	ND	21.7/65.0	Pass
Ethanol	5000	ND	24.8/74.5	Pass	Toluene	890	53.2	11.6/34.9	Pass
Ethyl acetate	5000	4810	30.4/91.1	Pass	Trichloroethylene	1	ND	0.727/2.18	Pass
Ethylene oxide	1	ND	1.44/4.32	Pass	o-Xylene		ND	14.6/43.7	Pass
Ethyl ether	5000	ND	35.5/107	Pass	p- and m-Xylene		< LOQ	15.0/45.1	Pass
Heptane	5000	ND	32.8/98.5	Pass	Total xylenes	2170	< LOQ		Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.



DM